

**DOCKET NO.: ALZA-0378**

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

**In Re Application of:**

**Phipps, et al.**

**Confirmation No.: 2635**

**Patent No.: 7,212,853 B1**

**Issued: May 1, 2007**

**Application No.: 08/952,368**

**Filing Date: November 17, 1997**

**For: ELECTROTRANSPORT AGENT DELIVERY METHOD AND APPARATUS**

Commissioner for Patents

Attn: Certificate of Correction Branch

P.O. Box 1450

Alexandria, VA 22313-1450

Dear Sir:

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR PTO  
MISTAKE PURSUANT TO 37 CFR § 1.322(a)**

It is respectfully requested that a certificate of correction be issued for the above-identified patent. In accordance with 37 CFR § 1.322(a), the patent contains errors that occurred through the fault of the Patent and Trademark Office as clearly disclosed by the records and files of the office.

Enclosed herewith please find a completed certificate of correction form.

Since the errors are not due to applicants' mistakes, no correction fee is due. Please charge any fees for copies and any additional fees to our Deposit Account No. 23-3050.

Date: July 16, 2009

/Jane E. Inglese/

Jane E. Inglese

Registration No. 48,444

Woodcock Washburn LLP  
Cira Centre  
2929 Arch Street, 12th Floor  
Philadelphia, PA 19104-2891  
Telephone: (215) 568-3100  
Facsimile: (215) 568-3439

**UNITED STATES PATENT AND TRADEMARK OFFICE**  
**CERTIFICATE OF CORRECTION**

PATENT NO : 7,212,853  
APPLICATION NO. : 08/952,368  
ISSUE DATE : May 1, 2007  
INVENTOR(S) : Phipps et al.

Page 1 of 1

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 6,

Line 42, delete "(Id)" and insert – ( $I_d$ ) --.

Column 7,

Line 30, delete "IC" and insert –  $I_c$  --.

Column 14,

Line 7, delete "antispasmodics" and insert -- antispasmodics --.

Column 15,

Line 35 and 36, delete "(=100 $\mu$ A 5 cm<sup>2</sup>)."

 and insert -- (=100  $\mu$ A  $\div$  5 cm<sup>2</sup>).--.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Woodcock Washburn LLP  
Cira Centre  
2929 Arch Street, 12th Floor  
Philadelphia, PA 19104-2891